

Specification Sheet	Document Ref	HB3.6.357
Specification Sheet	Issue Number	1
Title: Pink Hearts 6mm GREEN	Date of Issue	05/01/2023
LABEL	Page Number	1 of 5

ѕки	SPR-PHP-GRE
CODE	WSS098
PICTURE	
LABEL SUGGESTION when used in isolation according to EU regulation 1333/2008 & Commission directives 231/2012 & 1129/2011	Sugar decorations
DESCRIPTION	6mm diameter, 1-3mm thick Pink heart Shaped sprinkles
COUNTRY OF MANUFACTURE	EU
TYPICAL RAW MATERIAL COUNTRY OF ORIGIN	EU
PRODUCT COMPOSITION	Sugar Powder, Water, High Oleic Sunflower Oil, Rice Flour, Potato starch, Extract of Raddish Blackcurrant and Apple, Natural Vanilla Flavouring.
APPEARANCE	Pink Heart shaped sprinkles.
MOISTURE CONTENT	<1.6%
PRESERVATIVES	NA
OTHER ADDITIVES	NA

Prepared by:	Richard Strauss	Approved by:	Richard Oliver



Specification Sheet	
Title: Pink Hearts 6mm GREEN LABEL	
LADEL	

MICRO-ORGANISMS:			
ENTEROBACTERIACEAE	< 100 PER GRAM		
YEASTS & MOULDS	< 300 PER GRAM		
SALMONELLA	NEGATIVE IN 25 GRAMS		
NUTRITIONAL PER 100g	Energy	1756 KJ	
	Energy	414Kcal	
	Carbohydrate	95.00	
	Of which sugars 87.00		
	Fat 4g		
	Of which saturates 0.31g		
	Protein	<0.5g	
	Fibre	<0.5g	
	Salt	0.011g	
RECOMMENDED SHELF LIFE &	24 months ambient, keep away from extremes of temperatures		
STORAGE	and moisture.		
APPLICATIONS	Decorative edible sugar pieces		
DOSAGES RECOMMENDED	As required		

ALLERGEN AND INTOLERANCE INFORMATION

<u>Section 1</u>: Does the product contain any of the following, including <u>any</u> possible source of cross contamination or carry over?

ALLERGENS:	Y/N	If yes, give details
(Directive EU 1169/2011 ANNEX II)		
Cereals containing gluten, namely: wheat, rye, barley, oats,	Ν	
spelt, kamut or their hybridised strains, and products		
thereof, except:		
 wheat based glucose syrups including dextrose 		
 wheat based maltodextrins 		
 glucose syrups based on barley; 		
 cereals used for making alcoholic distillates 		
including ethyl alcohol of agricultural origin;		
Crustaceans and products thereof	Ν	
Eggs and products thereof	Ν	
Fish and products thereof, except:	Ν	
 fish gelatine used as carrier for vitamin or 		

-				
	Prepared by:	Richard Strauss	Approved by:	Richard Oliver



• fish gelatine or Isinglass used as fining agent in beer and wine;NPeanuts and products thereof;NSoybeans and products thereof, exceptN• fully refined soybean oil and fatN• natural mixed tocopherols (E306), natural D-alpha tocopherol, natural D-alpha tocopherol acetate, and natural D-alpha tocopherol succinate from soybean sources;N• vegetable oils derived phytosterols and phytosterol esters from soybean sourcesN• plant stanol ester produced from vegetable oil sterols from soybean sources;NMilk and products thereof (including lactose), except: • whey used for making alcoholic distillates including ethyl alcohol of agricultural origin; • lactitol;NNuts, namely almonds (Amygdalus communis L.), hazelnuts (Corylus avellana), walnuts (Uagians regia), cashews (Anacardium occidentale), pecan nuts (Carya illinoinensis (Wangenh.) K. Koch), Brazil nuts (Bertholletia excelsa), pistachio nuts (Pistacia vera), macadamia or Queensland nuts (Macadamia ternifolia), and products thereof.NCelery and products thereofNSusan seeds and products thereofNSusan seeds and products thereofNSulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO2 which are to be calculated for products as proposed ready for consumption or as reconstituted according to the instructions of the manufacturersNLupin and products thereofN	carotenoid preparations;		
and wine;NPeanuts and products thereof;NSoybeans and products thereof; exceptN•fully refined soybean oil and fatN•natural mixed tocopherols (E306), natural D-alpha tocopherol, natural D-alpha tocopherol succinate from soybean sources;N•vegetable oils derived phytosterols and phytosterol esters from soybean sourcesN•yegetable oils derived phytosterols and phytosterol esters from soybean sources;NMilk and products thereof (including lactose), except:N•whey used for making alcoholic distillates including ethyl alcohol of agricultural origin; •I•lactitol;NNuts, namely aumods (Amygdalus communis L.), hazelnuts (Corylus avellana), walnuts (luglans regia), cashews (Anacardium occidentale), pecan nuts (Carya illinoinensis (Wangenh.) K. Koch), Brazil nuts (Bertholletia excelsa), pistachio nuts (Pistacia vera), macadamia or Queensland nuts (Macaadamia ternifolia), and products thereofNMustard and products thereofNSuphur dioxide and yrobuts thereofNSuphur dioxide and suphities at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO2 which are to be calculated for products as proposed ready for consumption or as reconstituted according to the instructions of the manufacturersNLupin and products thereofN			
Peanuts and products thereof; N Soybeans and products thereof, except N • fully refined soybean oil and fat N • natural mixed tocopherols (E306), natural D-alpha tocopherol, natural D-alpha tocopherol acetate, and natural D-alpha tocopherol succinate from soybean sources; N • vegetable oils derived phytosterols and phytosterol esters from soybean sources; N • plant stanol ester produced from vegetable oil sterols from soybean sources; N Milk and products thereof (including lactose), except: N • whey used for making alcoholic distillates including ethyl alcohol of agricultural origin; N • lactitol; N Nuts, namely N almonds (Amygdalus communis L.), hazelnuts (Corylus avellana), walnuts (Juglans regio), cashews (Anacardium occidentale), pecan nuts (Cary aillinoinensis (Wangenh.) K. N Koch), Brazil nuts (Bertholletia excelsa), pistachio nuts (Pistacia vera), macadamia or Queensland nuts (Macadamia ternifolia), and products thereof N Mustard and products thereof N Sesame seeds and products thereof Sulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO2 N Sulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO2 N Mustared for products as propos			
Soybeans and products thereof, except N • fully refined soybean oil and fat N • natural mixed tocopherols (E306), natural D-alpha tocopherol acetate, and natural D-alpha tocopherol acetate, and natural D-alpha tocopherol succinate from soybean sources; N • vegetable oils derived phytosterols and phytosterol esters from soybean sources N • plant stanol ester produced from vegetable oil sterols from soybean sources; N Milk and products thereof (including lactose), except: N • whey used for making alcoholic distillates including ethyl alcohol of agricultural origin; N • lactitol; N Nuts, namely N almonds (Amygdalus communis L.), hazelnuts (Corylus avellana), walnuts (Juglans regia), cashews (Anacardium occidentale), pecan nuts (Carya illinoinensis (Wangenh.) K. N Koch), Brazil nuts (Bertholletia excelsa), pistachio nuts (Pistacia vera), macadamia or Queensland nuts (Macadamia ternifolia), and products thereof, except: N • Nuts used for making alcoholic distillates including ethyl alcohol of agricultural origin N Celery and products thereof N Sesame seeds and products thereof N Suphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO2 which are to be calculated for products as proposed ready for consumption or as reconstiluted according to the instructions of t	· · · · · · · · · · · · · · · · · · ·	N	
 fully refined soybean oil and fat natural mixed tocopherols (E306), natural D-alpha tocopherol, natural D-alpha tocopherol acetate, and natural D-alpha tocopherol succinate from soybean sources; vegetable oils derived phytosterols and phytosterol esters from soybean sources plant stanol ester produced from vegetable oil sterols from soybean sources; Milk and products thereof (including lactose), except: whey used for making alcoholic distillates including ethyl alcohol of agricultural origin; lactitol; Nuts, namely almonds (<i>Amygdalus communis</i> L.), hazelnuts (<i>Corylus avellana</i>), walnuts (<i>Juglans regia</i>), cashews (<i>Anacardium occidentale</i>), pecan nuts (<i>Carya illinoinensis</i> (Wangenh.) K. Koch), Brazil nuts (<i>Bertholletia excelsa</i>), pistachio nuts (<i>Pistacia vera</i>), macadamia or Queensland nuts (<i>Macadamio ternifolia</i>), and products thereof. Nuts used for making alcoholic distillates including ethyl alcohol of agricultural origin Celery and products thereof Nuts used for making alcoholic distillates including ethyl alcohol of agricultural origin Celery and products thereof Nus Susame seeds and products thereof Sulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO₂ which are to be calculated for products as proposed ready for consumption or as reconstituted according to the instructions of the manufacturers Lupin and products thereof N 	•		
 natural mixed tocopherols (E306), natural D-alpha tocopherol, natural D-alpha tocopherol acetate, and natural D-alpha tocopherol succinate from soybean sources; vegetable oils derived phytosterols and phytosterol esters from soybean sources plant stanol ester produced from vegetable oil sterols from soybean sources; Milk and products thereof (including lactose), except: whey used for making alcoholic distillates including ethyl alcohol of agricultural origin; lactitol; Nuts, namely almonds (<i>Amygdalus communis</i> L.), hazelnuts (<i>Corylus avellana</i>), walnuts (<i>Juglans regia</i>), cashews (<i>Anacardium occidentale</i>), pecan nuts (<i>Carya illinoinensis</i> (Wangenh.) K. Koch, Brazil nuts (<i>Bertholletia excelsa</i>), pistachio nuts (<i>Pistacia vero</i>), macadamia or Queensland nuts (<i>Macadamia ternifolia</i>), and products thereof Nuts used for making alcoholic distillates including ethyl alcohol of agricultural origin Celery and products thereof Nuts used for making alcoholic distillates including ethyl alcohol of agricultural origin Celery and products thereof Nuts used for making alcoholic distillates including ethyl alcohol of agricultural origin Celery and products thereof Nu Susphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO₂ which are to be calculated for products a proposed ready for consumption or as reconstituted according to the instructions of the manufacturers Lupin and products thereof N 		IN	
tocopherol, natural D-alpha tocopherol acetate, and natural D-alpha tocopherol succinate from soybean sources;• vegetable oils derived phytosterols and phytosterol esters from soybean sources• plant stanol ester produced from vegetable oil sterols from soybean sources;N• whey used for making alcoholic distillates including ethyl alcohol of agricultural origin; • lactitol;N• Nuts, namely almonds (Amygdalus communis L.), hazelnuts (Corylus avellana), walnuts (Juglans regia), cashews (Anacardium occidentale), pecan nuts (Carya illinoinensis (Wangenh.) K. Koch), Brazil nuts (Bertholletia excelsa), pistachio nuts (Pistacia vera), macadamia or Queensland nuts (Macadamia ternifolia), and products thereofN• Nuts used for making alcoholic distillates including ethyl alcohol of agricultural originN• Sesame seeds and products thereof sesame seeds and products thereofN• Sulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO2 which are to be calculated for products a proposed ready for consumption or as reconstituted according to the instructions of the manufacturersN• Lupin and products thereofN			
natural D-alpha tocopherol succinate from soybean sources;Image: sources• vegetable oils derived phytosterols and phytosterol esters from soybean sourcesImage: sources• plant stanol ester produced from vegetable oil sterols from soybean sources;NMilk and products thereof (including lactose), except:N• whey used for making alcoholic distillates including ethyl alcohol of agricultural origin; • lactitol;Nalmonds (Amygdalus communis L.), hazelnuts (Corylus avellana), walnuts (Juglans regia), cashews (Anacardium occidentale), pecan nuts (Carya illinoinensis (Wangenh.) K. Koch), Brazil nuts (Bertholletia excelsa), pistachio nuts (Pistacia vera), macadamia or Queensland nuts (Macadamia ternifolia), and products thereof, except: • Nuts used for making alcoholic distillates including ethyl alcohol of agricultural originNCelery and products thereof sesame seeds and products thereofNSulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO2 which are to be calculated for products as proposed ready for consumption or as reconstituted according to the instructions of the manufacturersNLupin and products thereofN			
sources;Image: sources is the set of the			
 vegetable oils derived phytosterols and phytosterol esters from soybean sources plant stanol ester produced from vegetable oil sterols from soybean sources; Milk and products thereof (including lactose), except: whey used for making alcoholic distillates including ethyl alcohol of agricultural origin; lactitol; lactitol; Nuts, namely almonds (<i>Amgdalus communis</i> L.), hazelnuts (<i>Corylus avellana</i>), walnuts (<i>Juglans regia</i>), cashews (<i>Anacardium occidentale</i>), pecan nuts (<i>Carya illinoinensis</i> (Wangenh.) K. Koch), Brazil nuts (<i>Bertholletia excelsa</i>), pistachio nuts (<i>Pistacia vera</i>), macadamia or Queensland nuts (<i>Macadamia ternifolia</i>), and products thereof, except: Nuts used for making alcoholic distillates including ethyl alcohol of agricultural origin			
esters from soybean sourcesImage: sterols from soybean sources;Image: sterols from soybean sources;Milk and products thereof (including lactose), except:N• whey used for making alcoholic distillates including ethyl alcohol of agricultural origin; • lactitol;Nalmonds (Amygdalus communis L.), hazelnuts (Corylus avellana), walnuts (Juglans regia), cashews (Anacardium occidentale), pecan nuts (Carya illinoinensis (Wangenh.) K. Koch), Brazil nuts (Bertholletia excelsa), pistachio nuts (Pistacia vera), macadamia or Queensland nuts (Macadamia ternifolia), and products thereof, except: • Nuts used for making alcoholic distillates including ethyl alcohol of agricultural originNCelery and products thereofNSesame seeds and products thereofNSulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO2 which are to be calculated for products as proposed ready for consumption or as reconstituted according to the instructions of the manufacturersNLupin and products thereofN			
 plant stanol ester produced from vegetable oil sterols from soybean sources; Milk and products thereof (including lactose), except: whey used for making alcoholic distillates including ethyl alcohol of agricultural origin; lactitol; Nuts, namely almonds (<i>Amygdalus communis</i> L.), hazelnuts (<i>Corylus avellana</i>), walnuts (<i>Juglans regia</i>), cashews (<i>Anacardium occidentale</i>), pecan nuts (<i>Carya illinoinensis</i> (Wangenh.) K. Koch), Brazil nuts (<i>Bertholletia excelsa</i>), pistachio nuts (<i>Pistacia vera</i>), macadamia or Queensland nuts (<i>Macadamia ternifolia</i>), and products thereof, except: Nuts used for making alcoholic distillates including ethyl alcohol of agricultural origin Celery and products thereof Mustard and products thereof Sulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO₂ which are to be calculated for products as proposed ready for consumption or as reconstituted according to the instructions of the manufacturers Lupin and products thereof N 			
sterols from soybean sources;NMilk and products thereof (including lactose), except:N• whey used for making alcoholic distillates including ethyl alcohol of agricultural origin; • lactitol;NNuts, namelyNalmonds (Amygdalus communis L.), hazelnuts (Corylus avellana), walnuts (Juglans regia), cashews (Anacardium occidentale), pecan nuts (Carya illinoinensis (Wangenh.) K. Koch), Brazil nuts (Bertholletia excelsa), pistachio nuts (Pistacia vera), macadamia or Queensland nuts (Macadamia ternifolia), and products thereof, except: • Nuts used for making alcoholic distillates including ethyl alcohol of agricultural originNCelery and products thereofNSesame seeds and products thereofNSulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO2 which are to be calculated for products as proposed ready for consumption or as reconstituted according to the instructions of the manufacturersNLupin and products thereofN			
Milk and products thereof (including lactose), except: N • whey used for making alcoholic distillates including ethyl alcohol of agricultural origin; N • lactitol; N Nuts, namely N almonds (Amygdalus communis L.), hazelnuts (Corylus avellana), walnuts (Juglans regia), cashews (Anacardium occidentale), pecan nuts (Carya illinoinensis (Wangenh.) K. N Koch), Brazil nuts (Bertholletia excelsa), pistachio nuts (Pistacia vera), macadamia or Queensland nuts (Macadamia ternifolia), and products thereof, except: N • Nuts used for making alcoholic distillates including ethyl alcohol of agricultural origin N Gelery and products thereof N Sesame seeds and products thereof N Sulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO ₂ which are to be calculated for products as proposed ready for consumption or as reconstituted according to the instructions of the manufacturers N Lupin and products thereof N			
 whey used for making alcoholic distillates including ethyl alcohol of agricultural origin; lactitol; Nuts, namely Almonds (<i>Amygdalus communis</i> L.), hazelnuts (<i>Corylus avellana</i>), walnuts (<i>Juglans regia</i>), cashews (<i>Anacardium occidentale</i>), pecan nuts (<i>Carya illinoinensis</i> (Wangenh.) K. Koch), Brazil nuts (<i>Bertholletia excelsa</i>), pistachio nuts (<i>Pistacia vera</i>), macadamia or Queensland nuts (<i>Macadamia ternifolia</i>), and products thereof, except: Nuts used for making alcoholic distillates including ethyl alcohol of agricultural origin Celery and products thereof N Sesame seeds and products thereof N Sulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO₂ which are to be calculated for products as proposed ready for consumption or as reconstituted according to the instructions of the manufacturers Lupin and products thereof N 			
ethyl alcohol of agricultural origin; 		N	
• lactitol;NNuts, namelyNalmonds (Amygdalus communis L.), hazelnuts (Corylus avellana), walnuts (Juglans regia), cashews (Anacardium occidentale), pecan nuts (Carya illinoinensis (Wangenh.) K. Koch), Brazil nuts (Bertholletia excelsa), pistachio nuts (Pistacia vera), macadamia or Queensland nuts (Macadamia ternifolia), and products thereof, except: • Nuts used for making alcoholic distillates including ethyl alcohol of agricultural originNCelery and products thereofNSesame seeds and products thereofNSulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO2 which are to be calculated for products as proposed ready for consumption or as reconstituted according to the instructions of the manufacturersNLupin and products thereofN			
Nuts, namelyNalmonds (Amygdalus communis L.), hazelnuts (Corylus avellana), walnuts (Juglans regia), cashews (Anacardium occidentale), pecan nuts (Carya illinoinensis (Wangenh.) K. Koch), Brazil nuts (Bertholletia excelsa), pistachio nuts (Pistacia vera), macadamia or Queensland nuts (Macadamia ternifolia), and products thereof, except: Nuts used for making alcoholic distillates including ethyl alcohol of agricultural origin Celery and products thereof Mustard and products thereof Sulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO2 which are to be calculated for products as proposed ready for consumption or as reconstituted according to the instructions of the manufacturers Lupin and products thereof N			
almonds (Amygdalus communis L.), hazelnuts (Corylus avellana), walnuts (Juglans regia), cashews (Anacardium occidentale), pecan nuts (Carya illinoinensis (Wangenh.) K. Koch), Brazil nuts (Bertholletia excelsa), pistachio nuts (Pistacia vera), macadamia or Queensland nuts (Macadamia ternifolia), and products thereof, except: • Nuts used for making alcoholic distillates including ethyl alcohol of agricultural origin•Celery and products thereofNSesame seeds and products thereofNSulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO2 which are to be calculated for products as proposed ready for consumption or as reconstituted according to the instructions of the manufacturersNLupin and products thereofN			
avellana), walnuts (Juglans regia), cashews (Anacardium occidentale), pecan nuts (Carya illinoinensis (Wangenh.) K. Koch), Brazil nuts (Bertholletia excelsa), pistachio nuts (Pistacia vera), macadamia or Queensland nuts (Macadamia ternifolia), and products thereof, except: 		N	
occidentale), pecan nuts (Carya illinoinensis (Wangenh.) K. Koch), Brazil nuts (Bertholletia excelsa), pistachio nuts (Pistacia vera), macadamia or Queensland nuts (Macadamia ternifolia), and products thereof, except: 			
Koch), Brazil nuts (Bertholletia excelsa), pistachio nutsImage: Construct of the manufacturers(Pistacia vera), macadamia or Queensland nuts (Macadamia ternifolia), and products thereof, except:Image: Construct of the manufacturers• Nuts used for making alcoholic distillates including ethyl alcohol of agricultural originImage: Construct of the manufacturersCelery and products thereofNMustard and products thereofNSesame seeds and products thereofNSulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO2Nwhich are to be calculated for products as proposed ready for consumption or as reconstituted according to the instructions of the manufacturersNLupin and products thereofN			
(Pistacia vera), macadamia or Queensland nuts (Macadamia ternifolia), and products thereof, except:.• Nuts used for making alcoholic distillates including ethyl alcohol of agricultural origin.Celery and products thereofNMustard and products thereofNSesame seeds and products thereofNSulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO2 which are to be calculated for products as proposed ready for consumption or as reconstituted according to the instructions of the manufacturersNLupin and products thereofN			
ternifolia), and products thereof, except:Image: Second Secon			
 Nuts used for making alcoholic distillates including ethyl alcohol of agricultural origin Celery and products thereof Mustard and products thereof Sesame seeds and products thereof Sulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO₂ which are to be calculated for products as proposed ready for consumption or as reconstituted according to the instructions of the manufacturers Lupin and products thereof N 	(Pistacia vera), macadamia or Queensland nuts (Macadamia		
ethyl alcohol of agricultural originImage: consumption or as reconstituted according to the instructions of the manufacturersNLupin and products thereofNSulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO2 which are to be calculated for products as proposed ready for consumption or as reconstituted according to the instructions of the manufacturersNLupin and products thereofN	<i>ternifolia</i>), and products thereof, except:		
Celery and products thereofNMustard and products thereofNSesame seeds and products thereofNSulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO2 which are to be calculated for products as proposed ready for consumption or as reconstituted according to the instructions of the manufacturersNLupin and products thereofN	 Nuts used for making alcoholic distillates including 		
Mustard and products thereofNSesame seeds and products thereofNSulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO2Nwhich are to be calculated for products as proposed ready for consumption or as reconstituted according to the instructions of the manufacturersNLupin and products thereofN	ethyl alcohol of agricultural origin		
Sesame seeds and products thereofNSulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO2 which are to be calculated for products as proposed ready for consumption or as reconstituted according to the instructions of the manufacturersNLupin and products thereofN	Celery and products thereof	Ν	
Sulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO2 N which are to be calculated for products as proposed ready for consumption or as reconstituted according to the instructions of the manufacturers N Lupin and products thereof N	Mustard and products thereof	Ν	
than 10 mg/kg or 10 mg/litre in terms of the total SO2which are to be calculated for products as proposed readyfor consumption or as reconstituted according to the instructions of the manufacturersNLupin and products thereofN	Sesame seeds and products thereof	Ν	
which are to be calculated for products as proposed ready for consumption or as reconstituted according to the instructions of the manufacturersNLupin and products thereofN	Sulphur dioxide and sulphites at concentrations of more	N	
for consumption or as reconstituted according to the instructions of the manufacturersImage: Construction of the manufacture of the manu	than 10 mg/kg or 10 mg/litre in terms of the total SO ₂		
instructions of the manufacturers N	which are to be calculated for products as proposed ready		
Lupin and products thereof N	for consumption or as reconstituted according to the		
	instructions of the manufacturers		
Molluscs and products thereof	Lupin and products thereof	N	
	Molluscs and products thereof	Ν	

	Specification Sheet	Document Ref	HB3.6.357
Honeyberry®	Specification Sheet	Issue Number	1
	Title: Pink Hearts 6mm GREEN	Date of Issue	05/01/2023
	LABEL	Page Number	4 of 5

<u>Section 2</u>: Does the product contain any of the following, including <u>any</u> possible source of cross contamination or carry over?

INTOLERANCE SUBSTANCES:	Y/N	If yes, give details
Aspartame	Ν	
Additives (E' Numbers etc)	Ν	
Beef and beef derivatives	Ν	
Benzoates	Ν	
BHA/BHT	Ν	
Chicken and chicken derivatives	Ν	
Сосоа	N	
Coriander	N	
Fruit and fruit derivatives	Ν	
Glutamate	Ν	
Legumes and Pulses	Ν	
Monosodium Glutamate (MSG)	N	
Pork and pork derivatives	N	
Synthetic Colours including Azo and Coal tar dyes	N	
Vegetable and Vegetable derivatives	Y	See Ingredients
Vegetable Oil:	Y	Sunflower Oil
If yes state type and source, eg. Hydrogenated, partially		
hydrogenated: rapeseed, peanut, etc.		
Yeast and yeast derivatives	Ν	

Section 3: Is this product suitable for:

	Y/N	If not, give details
Vegetarians	Y	
Vegans	Y	
Orthodox Jewish Diet (Kosher)	N	Not Certified
Muslim Diet (Halaal)	N	Not Certified
Diabetics	N	HIgh Sugar Content

Section 4: Genetic Modification

	Y/N	Details
Does the product or any of its ingredients contain any maize	N	
or soya products?		
Does the product or any of its ingredients contain any	N	
genetically modified material (whether active or not)		

Prepared by:	Richard Strauss	Approved by:	Richard Oliver



Please identify ingredients which contain such materials		
Is the product or any of its ingredients not substantially	Ν	
equivalent as a consequence of the use of genetic		
modification?		
Please identify any such ingredient		
Is the product or any of its ingredients produced from, but		
not containing any genetically modified material?		
Please identify those ingredients, which are produced from		
such materials.		
Have genetically modified organisms been used as	Ν	
processing aids or additives used in connection with the		
production of these ingredients?		
Please identify any such processing aids or additives		
Have genetically modified organisms been used to produce	Ν	
processing aids or additives (GMO not present in aid or		
additive when in use) which are subsequently used in		
production of this product or any of its ingredients?		
Please identify any such processing aids or additives.		